

## SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: SILKOLENE FOAM FILTER CLEANER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning agent/ Cleaner

Anticorrosion product, Cleaning agent/ Cleaner Containers >=20l for commercial use only

Uses advised against: No uses advised against identified. No uses advised against iden-

tified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS SWEDEN AB

Vitsåvägen 3

137 41 Västerhaninge

Sweden

Telephone: +46 8 128 25 000

Contact Person: HSE Advisor

E-mail: fse-hseasc@fuchs.com Telephone: +46 8 128 25 000

1.4 Emergency telephone number: +46 20 996 000

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

#### Classification according to Regulation (EC) No 1272/2008 as amended.

#### **Health Hazards**

Serious eye irritation Category 2 H319: Causes serious eye irritation.

Specific Target Organ Toxicity - Category 1 H372: Causes damage to organs through pro-

Repeated Exposure longed or repeated exposure.

Aspiration Hazard Category 1 H304: May be fatal if swallowed and enters air-

ways.

**Environmental Hazards** 

Chronic hazards to the aquatic Category 3 H412: Harmful to aquatic life with long lasting

environment effects.

**Hazard summary** 

**Physical Hazards:** Can form flammable vapour-air mixtures during the application.

**Health Hazards** 

Revision Date: 11.01.2023 Version: 2.3



Product name: SILKOLENE FOAM FILTER CLEANER

**Skin Contact:** At long or repeated contact with skin it may cause dermatitis due to the

degreasing effect of the solvent.

**Ingestion:** If ingested, material may be aspirated into the lungs and cause chemical

pneumonitis. Treat appropriately.

2.2 Label Elements

Contains: White spirit, low viscous



Signal Words: Danger

**Hazard Statement(s):** H319: Causes serious eye irritation.

H372: Causes damage to organs through prolonged or repeated expo-

sure.

H304: May be fatal if swallowed and enters airways. H412: Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

**Prevention:** P260: Do not breathe dust/fume/gas/mist/vapors/spray.

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

Response: P301+P310: IF SWALLOWED: Immediately call a POISON CEN-

TER/doctor.

P331: Do NOT induce vomiting.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations,

and product characteristics at time of disposal.

Supplemental label information

EUH066: Repeated exposure may cause skin dryness or cracking.

2.3 Information on other haz-

ards

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the envi-

ronment without control.

**Endocrine disrupting prop-**

erties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation

2/11

(EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Revision Date: 11.01.2023 Version: 2.3



#### **Product name:** SILKOLENE FOAM FILTER CLEANER

General information: Mixture based on severely refined mineral base oils with corrosion preven-

tive agents and volatile hydrocarbons.

| Chemical name             | Identifier    |                   | REACH Registra-<br>tion No. | Notes |
|---------------------------|---------------|-------------------|-----------------------------|-------|
| White spirit, low viscous | EC: 919-164-8 | 50,00% - <100,00% | 01-2119473977-17            |       |
| Ethoxylate                | Polymer       | 1,00% - <2,50%    |                             |       |

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

| Chemical name             | Identifier    | Classification  |               |
|---------------------------|---------------|---|---------------|
| White spirit, low viscous | EC: 919-164-8 | CLP: Asp. Tox. 1;H304, Aquatic Chronic 3;H412, 8<br>RE 1;H372<br>EUH066                                 | STOT          |
| Ethoxylate                | Polymer       | CLP: Eye Dam. 1;H318, Aquatic Acute 1;H400, Ac<br>Chronic 1;H410, Acute Tox. 4;H302, Skin Irr<br>2;H315 | quatic<br>it. |

CLP: Regulation No. 1272/2008.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

#### **SECTION 4: First aid measures**

**General:** Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

**Skin Contact:** Wash with water and soap; pay attention: skin degreasing product.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and

delayed:

Causes serious eye irritation. If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately. Headache.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

### **SECTION 5: Firefighting measures**

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool.

Revision Date: 11.01.2023 Version: 2.3

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



**Product name: SILKOLENE FOAM FILTER CLEANER** 

5.1 Extinguishing media

Suitable extinguishing me-

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mix-

ture:

Can form explosive vapor-air mixtures at higher temperatures.

5.3 Advice for firefighters

Special fire-fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces. Keep away from sources of ignition - No smoking.

**6.2 Environmental Precautions:** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

### **SECTION 7: Handling and storage:**

7.1 Precautions for safe handling:

Avoid contact with eyes. Wash hands thoroughly after handling. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Use only in wellventilated areas. Risk of vapor concentration on the floor and in low-lying areas. Prevent formation of aerosols. Observe good industrial hygiene practices. Provide adequate ventilation.

Revision Date: 11.01.2023

Print date: 31.10.2023 SDS\_SE - EN - 000000000602013842 Version: 2.3



**Product name:** SILKOLENE FOAM FILTER CLEANER

7.2 Conditions for safe storage, including any incompatibili-

ties

Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. The precautions for storing and handling of flammable liquids have to be kept. Local regulations for common storage of flammable liquids have to be followed. Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s): Not applicable

### SECTION 8: Exposure controls/personal protection

#### **8.1 Control Parameters**

**Occupational Exposure Limits** 

| Chemical name             | Туре | Exposure Limit Values | Source   |
|---------------------------|------|-----------------------|--|
| White spirit, low viscous | KTV  | 500 mg/m3             | Sweden. Occupational Exposure Limit Values, as amended |
| White spirit, low viscous | NGV  | 350 mg/m3             | Sweden. Occupational Exposure Limit Values, as amended |

#### 8.2 Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

**Eye/face protection:** Safety glasses (EN 166) recommended during refilling. Avoid contact with

skin and eyes. Goggles/face shield are recommended. If risk of splashing,

wear safety goggles or face shield.

Skin protection
Hand Protection:

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing va-

pour/ aerosol.

Revision Date: 11.01.2023 Version: 2.3



#### **Product name:** SILKOLENE FOAM FILTER CLEANER

Thermal hazards: Not known.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

**Environmental Controls:** No data available.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state:liquidForm:liquidColor:Brown

Odor: Characteristic

**pH:** substance/mixture is non-polar/aprotic Not applicable

Freezing point: not determined

**Boiling Point:** 162 °C **Flash Point:** 64 °C

**Evaporation Rate:** Not applicable for mixtures

Flammability (solid, gas): not determined

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures
Relative vapor density: Not applicable for mixtures

**Density:** 0,82 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature:not determinedDecomposition Temperature:not determinedKinematic viscosity:2 mm2/s (40 °C)

**Explosive properties:**Value not relevant for classification
Oxidizing properties:
Value not relevant for classification

Particle characteristics:Not applicable9.2 Other informationNo data available.

### **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** Stable under normal use conditions.

**10.2 Chemical Stability:** Stable under normal use conditions.

**10.3 Possibility of hazardous** Stable under normal use conditions.

reactions:

Revision Date: 11.01.2023 Version: 2.3

Print date: 31.10.2023 SDS\_SE - EN - 000000000602013842



Product name: SILKOLENE FOAM FILTER CLEANER

**10.4 Conditions to avoid:** Stable under normal use conditions.

**10.5 Incompatible Materials:** Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and oth-

er toxic gases or vapors.

#### **SECTION 11: Toxicological information**

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

**Eye contact:** Causes eye irritation.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

Oral

**Product:** ATEmix: 11.111 mg/kg

Specified substance(s)

White spirit, low viscous LD 50 (Rat): > 6.300 mg/kg

Ethoxylate LD 50 (Rat): 200 - 2.000 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

**Product:** Based on available data, the classification criteria are not met.

**Serious Eye Damage/Eye Irritation:** 

**Product:** Based on available data, the classification criteria are met.

Respiratory or Skin Sensitization:

**Product:** Skin sensitizer: Based on available data, the classification criteria are not

met.

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

**Germ Cell Mutagenicity** 

**Product:** Based on available data, the classification criteria are not met.

Carcinogenicity

Revision Date: 11.01.2023 Version: 2.3



**Product name:** SILKOLENE FOAM FILTER CLEANER

**Product:** Based on available data, the classification criteria are not met.

Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** Based on available data, the classification criteria are met.

**Aspiration Hazard** 

**Product:** May be fatal if swallowed and enters airways.

11.2 Information on other haz-

ards

**Endocrine disrupting properties** 

**Product:** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation

(EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: Ecological information** 

12.1 Toxicity

**Acute toxicity** 

**Product:** Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

White spirit, low viscous LC 50 (Fish, 96 h): 10,1 - 100 mg/l

Aquatic Invertebrates
Specified substance(s)

White spirit, low viscous EC 50 (Water Flea, 48 h): 10,1 - 22 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are met.

12.2 Persistence and Degradability

**Biodegradation** 

**Product:** Not applicable for mixtures

Specified substance(s)

White spirit, low viscous Readily biodegradable

12.3 Bioaccumulative potential

**Product:** Not applicable for mixtures

12.4 Mobility in soil:

**Product:** Not applicable for mixtures

Revision Date: 11.01.2023 Version: 2.3

Print date: 31.10.2023

SDS\_SE - EN - 000000000602013842



**Product name:** SILKOLENE FOAM FILTER CLEANER

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Endocrine disrupting

properties

**Product:** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation

(EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other adverse effects:** Harmful to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

**European Waste Codes** 

11 01 13\*: degreasing wastes containing hazardous substances

**SECTION 14: Transport information** 

ADR/RID

14.1 UN number or ID number: –
14.2 UN Proper Shipping Name: –

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): –
Hazard No. (ADR): –
Tunnel restriction code: –

14.4 Packing Group: –

14.5 Environmental hazards:

- 14.6 Special precautions for user:

**IMDG** 

14.1 UN number or ID number: 14.2 UN Proper Shipping Name: -

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): – EmS No.: –

14.3 Packing Group:

14.5 Environmental hazards: –
14.6 Special precautions for user: –

Revision Date: 11.01.2023 Version: 2.3



**Product name:** SILKOLENE FOAM FILTER CLEANER

**IATA** 

14.1 UN number or ID number: –
14.2 Proper Shipping Name: –

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: –
14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.7 Maritime transport in bulk according to IMO instruments: Not applicable.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

EU. Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

15.2 Chemical safety as-

sessment:

No Chemical Safety Assessment has been carried out.

DIRECTIVE 2012/18/EU (SEVESO III) on the control of major-accident hazards involving dangerous substances

The product does not fall into the scope of the SEVESO III Directive.

#### **SECTION 16: Other information**

**Revision Information:** Vertical lines in the margin indicate an amendment.

#### Wording of the H-statements in section 2 and 3

EUH066 Repeated exposure may cause skin dryness or cracking.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Other information: The classification complies with the current EU lists; however, it has been

supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: - On the basis of test data - Calculation Method - Bridging Principle "Substantially simi-

lar mixtures" - Expert Judgement

**Revision Date:** 11.01.2023

Revision Date: 11.01.2023 Version: 2.3

Print date: 31.10.2023 SDS\_SE - EN - 000000000602013842



**Product name:** SILKOLENE FOAM FILTER CLEANER

Disclaimer:

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

Revision Date: 11.01.2023 Version: 2.3 Print date: 31.10.2023

SDS\_SE - EN - 000000000602013842

11/11